




Twiflex Complete Hydraulic Brake Packages





COMPACT HYDRAULIC BRAKE PACKAGES FROM TWIFLEX PROVIDE SINGLE-SOURCE CONVENIENCE FOR A WIDE RANGE OF INDUSTRIAL APPLICATIONS

A variety of standard and custom hydraulic brake packages are available from Twiflex to meet the static holding and dynamic (emergency) stopping duty requirements of many types of applications including elevators, ship loading gantry cranes, escalators, metal mill ladle cover hoists, amusement rides, conveyors, cold steel mills, ski lifts, and more.

Twiflex brake packages combine world-class Twiflex spring applied, hydraulically released caliper brakes with the state-of-the-art LCS hydraulic power unit mounted on a custom fabricated base/ pedestal. These compact units feature a small footprint allowing them to fit into applications with limited space available.

Complete, ready-to-install brake assemblies from Twiflex provide time-saving convenience to OEMs while ensuring component compatibility and optimized performance.

Advanced LCS Hydraulic Power Unit

The Twiflex Type LCS is a compact hydraulic power unit designed to operate small caliper brakes in a proven, reliable package.

It provides on/off control of the spring applied (“passive”) brakes, with a selectable “fast-approach/ soft-braking” function integrated into the circuit as standard. This feature rapidly brings the brakes onto a factory-set touch pressure (pads in contact with the disc face) before the remaining pressure decays to zero and the brakes gradually apply.

A wide range of motor and auxiliary connection voltages can be accommodated. A terminal box permits the addition of a motor contactor if preferred. A hand-pump assembly allows manual release of the calipers in the event of complete power loss.

Specifications:

- Motor: 0.9 kW, 480 VAC, 60 Hz
- Pump: 1.6 CC/REV
- Solenoid Coils: 24 VDC
- Pressure Switch: 24 VDC
- Wired to Terminal Box



Superior Caliper Disc Brake Technologies

Industry-leading Twiflex spring applied, hydraulically released caliper brake technologies are the core of these assemblies. Reliable Twiflex brakes are designed and built for long lasting, trouble-free performance.

All brakes feature:

- Modular construction for easy maintenance
- Low pad pressures
- Easy set up and adjustment




STANDARD TWIFLEX BRAKE PACKAGES

Twiflex standard brake packages are available with three different spring applied, hydraulically released brake models with braking force ratings ranging from 6.8 kN to 119 kN. These compact configurations are designed to meet the most common range of application requirements. All three packages are shipped complete with a hand pump, terminal box, and pressure gauge.

All Standard Packages Include:

- Brake Assembly (spring applied, hydraulically released)
- LCS Hydraulic Power Unit
- Mounting Base/Pedestal
- Hand Pump (including manual detents)
- Terminal Box
- Pressure Gauge (0-250 bar)



Dimensions (mm)

Model	A	B	C
MXSH	412	609.5	895
VCS	404	699.5	985
VKSD	676	749.5	1035

Height: 750mm to top of handle




**Standard
MXSH Disc Brake Caliper Package**

Maximum Braking Force:
14.3 kN (3,215 lbf)



**Standard
VCS Disc Brake Caliper Package**

Maximum Braking Force:
62 kN (13,938 lbf)



**Standard
VKSD Disc Brake Caliper Package**

Maximum Braking Force:
119 kN (26,752 lbf)

CUSTOM ENGINEERED BRAKE PACKAGES

Twiflex engineers routinely configure custom brake package solutions to meet individual OEM specifications. A range of Twiflex spring applied, hydraulically released brake models can be incorporated into the design to achieve specific braking requirements. Certain size dual brake configurations can be utilized for higher braking torque applications.

Standard and custom discs/rotors (with or without hubs) as well as sensors can be included in application packages as needed.



Twiflex Facilities

Europe

9 Briar Road, Twickenham
Middlesex TW2 6RB - England
+44 (0) 20 8894 1161
info@twiflex.com
sales@twiflex.com

Caliper Brakes and Thrusters

Amphill Road
Bedford, MK42 9RD - UK
+44 (0)1234 350311

Caliper Brakes and Thrusters

Hatschekstraße 36
69126 Heidelberg - Germany
+49 (0) 6221-30470

Caliper Brakes and Thrusters

North America

2800 Fisher Road
Wichita Falls, TX 76302 - USA
940-723-3483
Toll free: 844-723-3483
twiflex.info@twiflex.com

Caliper Brakes and Thrusters

The Brands of Altra Industrial Motion

Couplings

Ameridrives
www.ameridrives.com

Bibby Turboflex
www.bibbyturboflex.com

Guardian Couplings
www.guardiancouplings.com

Huco
www.huco.com

Lamiflex Couplings
www.lamiflexcouplings.com

Stromag
www.stromag.com

TB Wood's
www.tbwoods.com

G geared Cam Limit Switches

Stromag
www.stromag.com

Electric Clutches & Brakes

Inertia Dynamics
www.idicb.com

Matrix
www.matrix-international.com

Stromag
www.stromag.com

Warner Electric
www.warnerelectric.com

Linear Products

Warner Linear
www.warnerlinear.com

Engineered Bearing Assemblies

Kilian
www.kilianbearings.com

Heavy Duty Clutches & Brakes

Industrial Clutch
www.indclutch.com

Twiflex
www.twiflex.com

Stromag
www.stromag.com

Svendborg Brakes
www.svendborg-brakes.com

Wichita Clutch
www.wichitaclutch.com

Belted Drives

TB Wood's
www.tbwoods.com

Gearing

Bauer Gear Motor
www.bauergears.com

Boston Gear
www.bostongear.com

Delroyd Worm Gear
www.delroyd.com

Nuttall Gear
www.nuttallgear.com

Overrunning Clutches

Formsprag Clutch
www.formsprag.com

Marland Clutch
www.marland.com

Stieber Clutch
www.stieberclutch.com

Neither the accuracy nor completeness of the information contained in this publication is guaranteed by the company and may be subject to change in its sole discretion. The operating and performance characteristics of these products may vary depending on the application, installation, operating conditions and environmental factors. The company's terms and conditions of sale can be viewed at <http://www.altramotion.com/terms-and-conditions/sales-terms-and-conditions>. These terms and conditions apply to any person who may buy, acquire or use a product referred to herein, including any person who buys from a licensed distributor of these branded products.

©2017 by Twiflex LLC. All rights reserved. All trademarks in this publication are the sole and exclusive property of Twiflex LLC or one of its affiliated companies.